

L Number	Hits	Search Text	DB	Time stamp
-	14818	(network\$4 near3 monitor\$4) nim	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 14:27
-	49	((network\$4 near3 monitor\$4) nim ) and (home near3 (network\$4 near3 monitor\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 14:28
-	41	((network\$4 near3 monitor\$4) nim ) and (home near3 (network\$4 near3 monitor\$4)) ) and (log\$4 user\$4 password\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 14:29
-	45	((network\$4 near3 monitor\$4) nim ) and (home near3 (network\$4 near3 monitor\$4)) ) and (log\$4 user\$4 password\$2 identifi\$7 id\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:20
-	603	process\$4 near3 user\$2 near3 profile\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 16:28
-	4	("5740549" "5893091" "5893227" "6012090").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:24
-	4	("5740549" "5893091" "5893227" "6012090").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:24
-	499	(process\$4 near3 user\$2 near3 profile\$2) and request\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 09:08
-	504	(process\$4 near3 user\$2 near3 profile\$2) and request\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 09:27
-	7	("5625781" "5694230" "5796393" "5801702" "5809248" "5974446" "6018344").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 09:10
-	475	((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 09:29
-	300	((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 13:35
-	282	((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2)) and reference\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 10:14
-	282	((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2)) and reference\$2) and (process\$4 compile\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 10:15
-	300	((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 13:46
-	218	((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 13:47

-	204	(((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 10:47
-	183	(((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2)) and (address\$4 url\$2 (uniform near4 locato\$))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:03
-	24	((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2)) and (address\$4 url\$2 (uniform near4 locato\$))) and (unprocess\$4 ('not' near3 process\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 13:56
-	159	((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2)) and (address\$4 url\$2 (uniform near4 locato\$))) not (((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2)) and (address\$4 url\$2 (uniform near4 locato\$))) and (unprocess\$4 ('not' near3 process\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 18:17
-	204	(((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:09
-	183	(((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:30
-	17	((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and ((login logon log\$4) near5 script\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:09
-	21	((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) not (((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:09
-	1	((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) not (((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and ((login logon log\$4) near5 script\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:23
-	908	((login logon log\$4) near5 script\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:29
-	0	((login logon log\$4) near5 script\$2)) and ((login logon log\$4) near5 constructor\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:29

-	137	(((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and (session\$2 constructor\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:37
-	8	(((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and ((login logon log\$4) near5 script\$2)) and (session\$2 constructor\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 11:31
-	129	(((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and (session\$2 constructor\$2)) not (((((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and ((login logon log\$4) near5 script\$2)) and (session\$2 constructor\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 14:46
-	20	((((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and (session\$2 constructor\$2)) not (((((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and ((login logon log\$4) near5 script\$2)) and (session\$2 constructor\$2))) and (initia\$4 near5 (session\$2 login logon log\$2 script\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 14:58
-	290	(( ((login logon log\$4) near5 script\$2)) and (initia\$4 near5 (session\$2 login logon log\$2 script\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 14:59
-	283	(( ((login logon log\$4) near5 script\$2)) and (initia\$4 near5 (session\$2 login logon log\$2 script\$4))) not (((((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and (session\$2 constructor\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 15:00
-	20	(( ((login logon log\$4) near5 script\$2)) and (initia\$4 near5 (session\$2 login logon log\$2 script\$4))) not (((((((process\$4 near3 user\$2 near3 profile\$2) and request\$4 ) and ((logon login log-in log\$4 userid\$2 identification\$2 id\$2 username\$2 identifier\$2) near10 profile\$2) ) and (access\$4 and distribut\$5)) and (database\$2 server2) ) and (address\$4 url\$2 (uniform near4 locato\$))) and (session\$2 constructor\$2))) and (session\$2 near5 (config\$7))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 16:46
-	1	6297819.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 16:46